Product datasheet

MINI KOMBIC

MK2RD25840NBRW



MINI KOMBIC G2 RD 2700 NW BR/WH.


Description:

Round recessed downlight model MINI KOMBIC G2 RD 2700 NW BR/WH, LAMP brand. Interior diffuser made of opal methacrylate specially for LED and bright metallic reflector, injection aluminium dissipator and TOR KIT type easy-fit fastening system. Model for COB LED, with neutral white colour temperature and control gear included. IP44 protection rating. Insulation class II. Photobiological safety group 0.

Shiny white RAL 9010

Weight: 602 g IEE: A+

Installation: Recessed




TECHNICAL SPECIFICATIONS:

Light output: 1.916 lm °K: 4000 Plum: 20W CRI: 80 Efficacy: 100,3 lm/w MacAdam:

Type: COB PHILIPS Alimentación: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10

Power: 17W





























CUSTOM MADE OPTIONS:

MINI KOMBIC



PHOTOMETRIC DATA:


MK2RD25840NBRW


 η = 100%

Imax = 1065 cd/klm

UTE: 1,00A

CIE: 84 100 100 100 100





alpha = 54,0°	H (m)	D (m)	Emax	Emed
	1	1,02	2036	1209
	2	2,04	509	302
	3	3,06	226	134
	4	4,07	127	76

MINI KOMBIC



ACCESORIES:

Optical



Product code: Description:

MKDIRD170B MINI KOMBIC ACC. TRANSP GLASS BK.



Product code: Description:

MKDIRD170G MINI KOMBIC ACC. TRANSP GLASS GR.



Product code: Description:

MKDIRD170W MINI KOMBIC ACC. TRANSP GLASS WH.



Product code: Description:

MKRIRD170B MINI KOMBIC ACC. DECO RING BK.



Product code: Description:

MKRIRD170G MINI KOMBIC ACC. DECO RING GR.



Product code: Description:

MKRIRD170W MINI KOMBIC ACC. DECO RING WH.